

External Pathway and Driveway Steel Grates

Fully Galvanised Steel Grate & Box. This product is ideal for Driveways - Car Traffic, Light Commercial Vehicles and Pedestrian traffic.

Our external range of galvanized steel box grates are available in three different patterns, Heelguard, Maxi Heelguard and Traditional to suit your application. All options are available in vaious standard lengths with accessories.



Designed to reduce the amout of rubbish entering the drain.



Grate fixed with Allen key makes easy removal for cleaning.



Heel safe, minimum heel base approx. 5mm (Heelguard and Maxi Heelguard only).



Pet safe, paws will not fit betwen the slotts (Heelguard and Maxi Heelguard only).



Heelguard

The Heelguard is available in 125mm, 150mm, 200mm and 300mm widths; Various depths and as Modular, Fixed-Length 1mtr, 2mtr and 3mtr Units.

Hot dip galvanised AS/NZ 4680-2006



Maxi Heelguard

The Maxi Heelguard is available in 150mm and 200mm widths; Various depths and as Modular, Fixed-Length 1mtr, 2mtr and 3mtr Units.

Hot dip galvanised AS/NZ 4680-2006




Traditional

The Traditional is available in 150mm, 200mm and 300mm widths; Various depths and as Modular, Fixed-Length 1mtr, 2mtr and 3mtr Units.

Hot dip galvanised AS/NZ 4680-2006

Specifications

Α



Heelguard, Maxi Heelguard & Traditional external box grates

Heelguard

A 1mtr 2mtr 3mtr

B 125mm 150mm 200mm 300mm C 80mm 125mm 170mm 170mm

Maxi Heelguard

A 1mtr 2mtr 3mtr

B 150mm 200mm C 125mm 170mm

Traditional

A 1mtr 2mtr 3mtr

B 150mm 200mm 300mm C 125mm 170mm 170mm

Outlets, Joiners and End caps

